




With micro-particles, the sanitizing steam penetrates every silt and surface,

sanitizing totally the air and the environment, taking care of the safety and health protection, ensuring, in complete autonomy, sanitization up to 250 days.



The best solution for the environmental sanitization





Living in a clean and healthy environment it's essential.

SANY SAFE is the solution: a powerful sanitiser that, by spreading in the air by a hot vaporization / aerosolization, thoroughly sanitises any environment, depositing uniformly on all surfaces of the room, with maximum reliability and safety.

The special non-toxic formulation of the sanitizer is able to safely eradicate pathogens such as viruses, germs, bacteria, fungi and molds. The mixture atomized in the air persists for several hours, breaking down any particles, even the smallest ones and reaching the most inaccessible places.

The sanitization time varies according to the size of the room by the chosen intensity (low, medium and high) and allows sanitizations even up to 8 months.

It is recommended to associate the normal cleaning procedures and environmental optimization with the onsite sanitization treatment, as per the provisions given by the WHO (World Health Organization).

Examples of application areas





Why SANY SAFE?

Features and Benefits



EFFECTIVENESS OF ENVIRONMENTAL SANITIZATION

The sanitization technique used with hot vaporization / aerosolization, allows to spread in the environment invisible micro-particles that atomized in the air, are capable to penetrate in every silt, eradicating all bacteria, viruses, germs, fungi and molds already present in the air and on surfaces.



READY TO USE

Connect SANY SAFE to the electricity and you will get an automatic sanitization of your environments every night, thanks to the weekly pre-programming.



SIM CARD INCLUDED

You won't have to worry about buying a SIM CARD; for 2 years AVS Electronics provides a data SIM CARD for the remote SANY SAFE management.



EASY TO PROGRAM BY THE APP

SANY SAFE has a programmed weekly schedule, which allows an immediate use. Thanks to the simple and intuitive configuration APP, you can, at any time, manage SANY SAFE and customize volumes, frequency and intensity of the system.



TANK REPLACEMENT IN AUTONOMY

The external tank has been designed to allow the user an independent and quick replacement in total autonomy.

It is available in different sizes: 5, 10 or 25 liters to perform many sanitization cycles, according to your needs.



1 weekly sanitization

LONG AUTONOMY, UP TO 8 MONTHS

SANY SAFE, depending on chosen type of sanitization and of the tank size installed, it is able to ensure an autonomy that can reach even up to approximately 8 months (with a low intensity sanitization - once a week - 100 m³ environment - 25 Liters tank).



ENERGY SAVING

SANY SAFE has been designed to dynamically manage consumption. During the time slots when the steam diffusion is not performed, SANY SAFE activates the standby mode, turning off and saving energy.



NO TOXIC, FRESHNESS IN THE AIR!

The mixture atomised in the air does not present any toxicity and releases into the environment a pleasant fragrance of freshness. It is however recommended to ventilate the premises before to join it.

TECHNICAL DATA	SANY SAFE L	SANY SAFE XL
Coverage volumes	From 20 m³ up to 300 m³	From 100 m ³ up to 600 m ³
Tank availability	5 L - 10 L - 25 L	5 L - 10 L - 25 L
Autonomy in days of sanitization	It depends from: intensity, frequency, environment volume, tank dimension	
	Example: almost 8 months (250 days) with low intensity / 1 day a week / 100 m³ / 25 L	
Sanitization efficiency	low intensity: approximately 1 day	
	medium intensity: approximately 2 days	
	strong intensity: approximately 1 week	
Programming by APP	Environment volume	
	Sanitization intensity	
	Sanitization time scheduling	
	Days of the week to start the sanitizing cycle	
	Time zone	
User management by APP	Activate immediate sanitization	
	Sanitization block	
	Disable sanitization for a total of n ° of days	
	Reactivate the sanitization cycle	
	Tank replacement management	
	Display of sanitization carried out	
	Display of sanitization available	
	Tank level displays	
	Display of sanitization in progress	
Installation	Fixed wall mounting / moveable (coming soon)	Fixed wall mounting
Power Supply	230 Vac (110 Vac optional on request)	230 Vac (110 Vac optional on request)
With embedded XGSM (2G) module or XGSM 4G (2G/3G/LTE/4G) module	GPRS (eventually 4G) always connected to the CLOUD	
	Programming of the configuration parameters with APP - Sany Safe	
	User management with APP - Sany Safe	
	Automatic time synchronization in GPRS (eventually 4G)	
Sim Card	Included and active for 2 YEARS *	
Dimensions (HxLxP) mm	358 x 264 x 166	480 x 353 x 166
Weight Kg.	12	18,5

N.B. SANY SAFE is not an MSD (Medical Surgical Device)



AVS ELECTRONICS S.p.A.

Via Valsugana, 63 - 35010 Curtarolo (PD) - Italy Tel. +39 049 9698 411 - Fax +39 049 9698 407 marketing@avselectronics.it - www.sanysafe.it



^{*}Available for all EU countries